

Contents to volume 350

Research Letters

- The human ubiquitin-conjugating enzyme UbcH1 is involved in the repair of UV-damaged, alkylated and cross-linked DNA (FEBS 14270) *P. Kaiser, H.A. Mansour, T. Greeten, B. Auer, M. Schweiger, R. Schneider*
- Complete nucleotide sequence and genome organization of a tobamovirus infecting cruciferae plants (FEBS 14335) *Yu.L. Dorokhov, P.A. Ivanov, V.K. Novikov, A.A. Agranovsky, S.Yu. Morozov, V.A. Efimov, R. Casper, J.G. Atabekov*
- Evidence for nitric oxide-mediated oxidative damage in chronic inflammation: Nitrotyrosine in serum and synovial fluid from rheumatoid patients (FEBS 14336) *H. Kaur, B. Halliwell*
- Identification of a latent MAP kinase kinase in PC12 cells as B-raf (FEBS 14337) *S. Traverse, P. Cohen*
- Ammonium-sensitive protein kinase activity in plasma membranes of the cyanobacterium *Anacystis nidulans* (FEBS 14334) *R. Rodríguez, M. García-González, M.G. Guerrero, C. Lara*
- The electronic structure of P840⁺: The primary donor of the *Chlorobium limicola* f. sp. *thiosulphatophilum* photosynthetic reaction centre (FEBS 14338) *S.E.J. Rigby, R. Thapar, M.C.W. Evans, P. Heathcote*
- The melanocortin (MC3) receptor from rat hypothalamus: photoaffinity labelling and binding of alanine-substituted α -MSH analogues (FEBS 14339) *U.G. Sahm, M.A. Qarawi, G.W.J. Olivier, A.R.H. Ahmed, S.K. Branch, S.H. Moss, C.W. Pouton*
- Effect of intracellular Ca²⁺ concentration on endothelin-1 secretion (FEBS 14340) *F. Brunner, H. Stessel, S. Simecek, W. Graier, W.R. Kukovetz*
- Identification of a fetal exon in the human fast Troponin T gene (FEBS 14342) *M.M. Briggs, M. Maready, J.M. Schmidt, F. Schachet*
- The pH dependent spectral properties of *Clostridium pasteurianum* 2[Fe₄S₄] ferredoxin (FEBS 14341) *L. Calzolari, L. Messori, R. Monnanni*
- Nystatin changes the properties of transporters for arginine and sugars: An in vitro study (FEBS 14343) *M. Opekarová, W. Tanner*
- The cyclic AMP response element plays an essential role in the expression of the human prostaglandin-endoperoxide synthase 2 gene in differentiated U937 monocytic cells (FEBS 14344) *H. Inoue, T. Nanayama, S. Hara, C. Yokoyama, T. Tanabe*
- Multiple nuclear localization signals of the B-myb gene product (FEBS 14346) *Y. Takemoto, S. Tashiro, H. Handa, S. Ishii*
- Sulfide dehydrogenase is identical with the SoxB protein of the thiosulfate-oxidizing enzyme system of *Paracoccus denitrificans* GB17 (FEBS 14345) *A. Schneider, C. Friedrich*
- Sulfatides trigger cytokine gene expression and secretion in human monocytes (FEBS 14348) *G. Constantin, C. Laudanna, P. Baron, G. Berton*
- Point mutation of glycine receptor α 1 subunit in the spasmodic mouse affects agonist responses (FEBS 14349) *B. Saul, V. Schmieden, C. Kling, C. Mülhardt, P. Gass, J. Kuhse, C.-M. Becker*
- Carboxyl-terminal truncation of apolipoproteinB-100 inhibits lipoprotein(a) particle formation (FEBS 14350) *B. Gabel, Z. Yao, R.S. McLeod, S.G. Young, M.L. Koschinsky*

- Protein kinase C activation accelerates proton extrusion by vacuolar-type H⁺-ATPases in murine peritoneal macrophages (FEBS 14351) *T. Nordström, S. Grinstein, G.F. Brisseau, M.F. Manolson, O.D. Rotstein* 82
- A pulsed field gradient isotope-filtered 3D ¹³C HMQC-NOESY experiment for extracting intermolecular NOE contacts in molecular complexes (FEBS 14353) *W. Lee, M.J. Revington, C. Arrowsmith, L.E. Kay* 87
- On the presence of phosphorylated sphingoid bases in rat tissues: A mass-spectrometric approach (FEBS 14352) *P.P. Van Veldhoven, P. De Ceuster, R. Rozenberg, G.P. Munnnaerts, E. de Hoffmann* 91
- Electrogenicity at the secondary quinone acceptor site of cyanobacterial photosystem II (FEBS 14355) *M.D. Mamedov, O.E. Beshta, V.D. Samuilov, A. Yu. Semenov* 96
- Conditioned media of glial cell lines induce alkaline phosphatase activity in cultured artery endothelial cells: Identification of interleukin-6 as an induction factor (FEBS 14356) *H. Takemoto, K. Kaneda, M. Hosokawa, M. Ide, H. Fukushima* 99
- The transit sequence of a chloroplast precursor protein reorients the lipids in monogalactosyl diglyceride containing bilayers (FEBS 14347) *V. Chupin, R. van 't Hof, B. de Kruijff* 104
- Renaturation of the mature subtilisin BPN' immobilized on agarose beads (FEBS 14357) *T. Hayashi, M. Matsubara, D. Nohara, S. Kojima, K.-i. Miura, T. Sakai* 109
- Stimulation of tyrosine- and serine-phosphorylation of focal adhesion kinase in mouse 3T3 cells by fibronectin and fibroblast growth factor (FEBS 14358) *M. Hatai, H. Hashi, A. Mogi, H. Soga, J. Yokota, Y. Yaoi* 113
- Comparison of the in vitro translated polypeptides from maize shoot, pollen and germinated pollen mRNAs (FEBS 14354) *P.J. Hussey, P.R. Wakeley* 117
- Crystallisation and crystallographic investigations of cod alcohol dehydrogenase class I and class III enzymes (FEBS 14359) *Ramaswamy S., M. El-Ahmad, O. Danielsson, H. Jörnvall, H. Eklund* 122
- Phosphoenolpyruvate carboxykinase of *Trypanosoma brucei* is targeted to the glycosomes by a C-terminal sequence (FEBS 14360) *J.M. Sommer, T.T. Nguyen, C.C. Wang* 125
- Presence of protein phosphatase type 1 and its involvement in temperature-dependent flagellar movement of fowl spermatozoa (FEBS 14365) *K. Ashizawa, G.J. Wishart, H. Tomonaga, K. Nishinakama, Y. Tsuzuki* 130
- Interleukin-1 stimulates de novo synthesis of mitogen-activated protein kinase in glomerular mesangial cells (FEBS 14367) *A. Huwiler, J. Pfeilschifter* 135
- Iron deprivation-induced apoptosis in HL-60 cells (FEBS 14368) *K. Fukuchi, S. Tomoyasu, N. Tsuruoka, K. Gomi* 139
- Brefeldin A inhibits protein synthesis through the phosphorylation of the α -subunit of eukaryotic initiation factor-2 (FEBS 14369) *H. Mellor, S.R. Kimball, L.S. Jefferson* 143
- Identification of spliced RNA species of *Drosophila melanogaster* gypsy retrotransposon: New evidence for retroviral nature of the gypsy element (FEBS 14371) *S.N. Avedisov, Yu. V. Ilyin* 147

Minireviews

- Entry of animal viruses and macromolecules into cells (FEBS 14393) *L. Carrasco* 151
- Ion channel regulation by calmodulin binding (FEBS 14395) *Y. Saimi, C. Kung* 155

- Structural features of plant chitinases and chitin-binding proteins (FEBS 14366) *J.J. Beintema*

159

Hypothesis

- Electron transfer and ligand binding in terminal oxidases: Impact of recent structural information (FEBS 14392) *M. Brunori, G. Antonini, A. Giuffrè, F. Malatesta, F. Nicoletti, P. Sarti, M.T. Wilson*

164

Research Letters

- Computer analyses suggest interactions of non-muscle filamin with lipid membranes (FEBS 14311) *M. Tempel, W.H. Goldmann, G. Isenberg*

169

- α -Dystroglycan deficiency correlates with elevated serum creatine kinase and decreased muscle contraction tension in golden retriever muscular dystrophy (FEBS 14361) *J.M. Ervasti, S.L. Roberds, R.D. Anderson, N.J.H. Sharp, J.N. Kornegay, K.P. Campbell*

173

- The mammary factor MPBF is a prolactin-induced transcriptional regulator which binds to STAT factor recognition sites (FEBS 14370) *T.G. Burdon, J. Demmer, A.J. Clark, C.J. Watson*

177

- Metabolic pathways in Ehrlich ascites tumor cells recovering from a low bioenergetic status (FEBS 14372) *P. Dell'Antone*
cAMP-dependent protein phosphorylation in mitochondria of bovine heart (FEBS 14373) *Z. Technikova-Dobrova, A.M. Sardanelli, M.R. Stanca, S. Papa*

183

- Oxidase of the white rot fungus *Panus tigrinus* 8/18 (FEBS 14374) *N. Pozdnyakova, A. Leontievsky, L. Golovleva*

192

- ADP binding and ATP synthesis by reconstituted H⁺-ATPase from chloroplasts (FEBS 14375) *T.B. Creczynski-Pasa, P. Gräber*

195

- Identification of imidazole as L-arginine-competitive inhibitor of porcine brain nitric oxide synthase (FEBS 14379) *B. Mayer, P. Klatt, E.R. Werner, K. Schmidt*

199

- Localization and structural characterization of an oligosaccharide O-linked to bovine PDC-109: Quantitation of the glycoprotein in seminal plasma and on the surface of ejaculated and capacitated spermatozoa (FEBS 14381) *J.J. Calvete, M. Raida, L. Sanz, F. Wempe, K.-H. Scheit, A. Romero, E. Töpfer-Petersen*

203

- Substrate, substrate analogue, and inhibitor interactions with the ferrous active site of catechol 2,3-dioxygenase monitored through XAS studies (FEBS 14384) *I. Bertini, F. Briganti, S. Mangani, H.F. Nolting, A. Scozzafava*

207

- Effect of aging and acetyl-L-carnitine on the activity of cytochrome oxidase and adenine nucleotide translocase in rat heart mitochondria (FEBS 14376) *G. Paradies, F.M. Ruggiero, G. Petrosillo, M.N. Gadaleta, E. Quagliariello*

213

- The nucleotide sequence of a complementary DNA encoding *Flaveria bidentis* carbonic anhydrase (FEBS 14380) *A. Cavallaro, M. Ludwig, J. Burnell*

216

- Exposure to galactose oxidase of GM1 ganglioside molecular species embedded into phospholipid vesicles (FEBS 14378) *P. Palestini, M. Masserini, G. Tettamanti*

219

- Degradation of protein kinase C α and its free catalytic subunit, protein kinase M, in intact human neuroblastoma cells and under cell-free conditions: Evidence that PKM is degraded by mM calpain-mediated proteolysis at a faster rate than PKC (FEBS 14382) *T.B. Shea, M.L. Beermann, W.R. Griffin, U. Leli*

223

- Evidence for N-glycosylation and ubiquitination of the prolactin receptor expressed in a baculovirus-insect cell system (FEBS 14385) *C. Cahoreau, L. Garnier, J. Djiane, G. Devauchelle, M. Cerutti*

230

- Structure and thermal stability of the extracellular fragment of human transferrin receptor at extracellular and endosomal pH (FEBS 14387) *J.M. Hadden, M. Bloemendal, P.I. Harris, I.H.M. van Stokkum, D. Chapman, S.K.S. Strai*

235

- SR141716A, a potent and selective antagonist of the brain cannabinoid receptor (FEBS 14386) *M. Rinaldi-Carmona, F. Barth, M. Héaulme, D. Shire, B. Calandra, C. Congy, S. Martinez, J. Maruani, G. Nélliat, D. Caput, P. Ferrara, P. Soubrié, J.C. Brelière, G. Le Fur*

240

- Inclusion body formation by interleukin-1 β depends on the thermal sensitivity of a folding intermediate (FEBS 14388) *R. Wetzel, B.A. Chrnyk*

245

- Differential inhibition of eukaryotic DNA polymerases by halenaquinol sulfate, a p-hydroquinone sulfate obtained from a marine sponge (FEBS 14390) *M. Shioda, K. Kano, M. Kobayashi, I. Kitagawa, M. Shoji, S. Yoshida, S. Ikegami*

249

- Association of N-ethylmaleimide-sensitive factor with synaptic vesicles (FEBS 14391) *R.-M. Hong, H. Mori, T. Fukui, Y. Moriyama, M. Futai, A. Yamamoto, Y. Tashiro, M. Tagaya*

253

- Direct observation of the iron binding sites in a ferritin (FEBS 14394) *P.D. Hempstead, A.J. Hudson, P.J. Artymiuk, S.C. Andrews, M.J. Banfield, J.R. Guest, P.M. Harrison*

258

- Tec homology (TH) adjacent to the PH domain (FEBS 14396) *M. Vihinen, L. Nilsson, C.I.E. Smith*

263

- Heat-shock response in a yeast *tps1* mutant deficient in trehalose synthesis (FEBS 14399) *J.C. Argüelles*

266

- Epoxidation of zeaxanthin and antheraxanthin reverses non-photochemical quenching of photosystem II chlorophyll *a* fluorescence in the presence of trans-thylakoid Δ pH (FEBS 14397) *A.M. Gilmore, N. Mohanty, H.Y. Yamamoto*

271

- Homology modelling and ¹H NMR studies of human leukaemia inhibitory factor (FEBS 14398) *D.K. Smith, H.R. Treutlein, T. Maurer, C.M. Owczarek, M.J. Layton, N.A. Nicola, R.S. Norton*

275

- Intrinsic ligand binding properties of the human and bovine α -interferon receptors (FEBS 14400) *J.-k. Lim, J. Xiong, N. Carrasco, J.A. Langer*

281

- Pⁱ, P³-bis(5'-adenosyl)triphosphate (Ap₃A) as a substrate and a product of mammalian tryptophanyl-tRNA synthetase (FEBS 14377) *T. Merkulova, G. Kovaleva, L. Kisselev*

287

- Expression and regulation of human and rat phosphodiesterase type IV isogenes (FEBS 14401) *P. Engels, K. Fichtel, H. Lübbert*

291

- Molecular mechanism of action of Pb²⁺ and Zn²⁺ on water oxidizing complex of photosystem II (FEBS 14402) *A. Rashid, E.L. Camm, A.K.M. Ekramoddoullah*

296

- Inhibition of reverse transcriptase of human immunodeficiency virus type 1 and chimeric enzymes of human immunodeficiency viruses types 1 and 2 by two novel non-nucleoside inhibitors (FEBS 14406) *T. Rubinek, J.B. McMahon, A. Hizi*

299

- GRP78 induction by cyclosporin A in human HeLa cells (FEBS 14407) *L. Paslaru, M. Pinto, M. Morange*

304

- Ovarian 3 β -hydroxysteroid dehydrogenase/ Δ^4 -isomerase of rainbow trout: its cDNA cloning and properties of the enzyme expressed in a mammalian cell (FEBS 14408) *N. Sakai, M. Tanaka, M. Takahashi, S. Fukada, J.I. Mason, Y. Nagahama*

309

- Essential role of phosphatidylinositol 3-kinase in insulin-induced activation and phosphorylation of the cGMP-inhibited cAMP phosphodiesterase in rat adipocytes: Studies using the selective inhibitor wortmannin (FEBS 14410) *T. Rahn, M. Ridderstråle, H. Tornqvist, V. Manganiello, G. Fredrikson, P. Belfrage, E. Degerman*

314

- The structure of a complex between carbonic anhydrase II and a new inhibitor, trifluoromethane sulphonamide (FEBS 14411) *K. Håkansson, A. Liljas*

319

Oxygen exchange reactions catalyzed by vacuolar H ⁺ -translocating pyrophosphatase: Evidence for reversible formation of enzyme-bound pyrophosphate (FEBS 14413) <i>A.A. Baykov, V.N. Kasho, N.P. Bakuleva, P.A. Rea</i>	323	Nucleotide binding of the C-terminal domains of the major histocompatibility complex-encoded transporter expressed in <i>Drosophila melanogaster</i> cells (FEBS 14419) <i>K. Wang, K. Fröh, P.A. Peterson, Y. Yang</i>	337
Aspartic-129 is an essential residue in the catalytic mechanism of the low <i>M_r</i> phosphotyrosine protein phosphatase (FEBS 14418) <i>N. Taddei, P. Chiarugi, P. Cirri, T. Fiaschi, M. Stefani, G. Camici, G. Raugei, G. Ramponi</i>	328	Rat brain Na ⁺ channel mRNAs in non-excitabile Schwann cells (FEBS 14420) <i>Y. Oh, J.A. Black, S.G. Waxman</i>	342
Comparison of kinetic properties between MSS4 and Rab3A GRF GDP/GTP exchange proteins (FEBS 14417) <i>A. Miyazaki, T. Sasaki, K. Araki, N. Ueno, K. Imazumi, F. Nagano, K. Takahashi, Y. Takai</i>	333	Notes to Authors	347
		Author Index to volume 350	349
		Contents to volume 350	354